
Index

1D theorems:
 center of gravity, 331
 convolution, 331
 correlation, 331
 differentiation properties, 331
 first moments, 331
 modulation, 331
 Parseval's, 331
 second moments, 332
 shift, 330
 similarity, 330
2D convolution, 329
2D Fourier transform, 327–329
2D functions, rotation theorem,
 329–330
3D, imaging cells in, 271–272
3D Fourier pairs, 337–338
3D Fourier transform. *See also* Fourier
 transforms
 circular symmetry, 336
 cylindrical coordinates, 335–336
 cylindrical symmetry, 336
 definition, 335
3D imaging versus QPI, 4–6
3D space, refractive index distribution,
 23

A

Abbe, Ernst, 1–2
Abbe's theory of imaging, 65–71, 292.
 See also light microscopy
absorption cross section, 30
absorption spectroscopy, 277
active membrane fluctuations,
 288–292
active stabilization, 134–135
AFM (atomic-force microscopy),
 230–232
analytic signals:
 complex, 323–326
 Fourier transform, 324
 Hermitian Fourier transform, 323
 inverse Fourier transform, 324

angular scattering, 249–252, 301–302
anisocytosis, 312
Anopheles mosquito, 212–213
QPI image, surface plot representation,
 6
artwork:
 blood smear, 349
 cell cycle, 349
 chromosomes, 347
 dendritic structure, 346
 discocyte, 344
 echinocyte, 344
 eosinophil marching by RBC, 345
 fibroblasts, 347
 glial cell, 341
 HeLa cells, 341
 malaria-infected cell, 343
 neuron acquired by SLIM, 340, 342,
 345
 neuron network, 343
 neuron with nucleolus, 346
 prostate biopsy with blood vessel,
 348
 RBC squished by macrophage, 342
 RBCs (red blood cells), 339
 RBCs acquired by SLIM, 348
 RBCs and putative macrophage, 340
 spherocyte, 344
atomic-force microscopy (AFM),
 230–232
ATP, effects on RBC membranes,
 288–290

B

backprojection algorithm, 273
backscattering cross section:
 scattering by single particles, 29
 scattering cross-section, 29
ball function, using with spherical
 particles, 30–31
band-pass filtering, 62
bead, light scattered from, 204–205
Bessel function, 34, 333–334

biological samples, studying, 246
 biopsies, detecting cancer in, 316–317
 blood, characterizing, 309
 blood analyzers, 309
 blood cells. *See* RBCs (red blood cells)
 blood screening, 310–313
 anisocytosis, 312
 Coulter counter, 311
 DPC (diffraction-phase cytometry),
 310, 312–313
 MCD (minimum cylindrical
 diameter), 311
 MCHC (mean cellular hemoglobin
 concentration), 311
 MCV (mean corpuscular volumes),
 311–312
 RDW measurement, 312
 refractive index, 312–313
 blood smear, QPI artwork, 349
 Boltzmann constant/factor, 195–196,
 206, 214–215
 Born approximation:
 inhomogeneous media, 24–25
 particles under, 30–34
 scattering from ensembles of
 particles, 35–36
 breast calcification, reporting on,
 314
 breast tissues, SLIM imaging
 signatures, 315
 Brownian regime, 196

C

camera tube, use with digital
 holograms, 88
 cancerous prostate tissue slices, 316
 CCD plane, iSLIM (instantaneous
 SLIM), 283
 CCDs (charged coupled devices), 141,
 143–145
 FPM (Fourier Phase Microscopy),
 186–187
 FTLS (Fourier transform light
 scattering), 253
 OQM (optical quadrature
 microscopy), 176
 cell cycle, QPI artwork, 349
 cell cytoskeleton fluctuations,
 262–266
 cell displacements, 173
 cell dynamics. *See also* intracellular
 mass transport
 active membrane fluctuations,
 288–292
 background and motivation,
 287–288
 dispersion relationship, 288
 fluctuation-dissipation theorem, 291
 cell dynamics (*Cont.*):
 intracellular mass transport,
 292–297
 RBC membrane cortex, 288
 cell growth, 149–150
 background and motivation,
 297–300
 cell cycle-resolved, 299–300
 culture of microglia, 298
 DHM (digital holographic
 microscopy), 149–150
 dry mass density, 298–300
 Escherichia coli, 298
 fluorescence signals, 299
 FPM (Fourier Phase Microscopy),
 191–194
 SLIM (Spatial Light Interference
 Microscopy), 238–240, 298–300
 trends in applications, 297–300
 cell imaging, 148–149
 cell-margin fluctuations, 173
 cell refractometry, 156–157
 cell types, differentiating, 259
 cells:
 counting in embryos, 176–177
 imaging in 3D, 271–272
 non-invasive imaging of, 276
 studying nanoscale motions in, 291
 character recognition, 87
 chick fibroblast cultures, 171–172
 chromosomes, QPI artwork, 347
 circular symmetry, 336–337
 clinical applications:
 background and motivation,
 308–310
 blood screening, 310–313
 histopathology, 308–309
 label-free methods, 309
 label-free tissue diagnosis, 313–317
 spectroscopy methods, 309
 CNR (contrast-to-noise ratio), 59–60
 coherence volume, 39–42
 ensemble averages, 40
 field statistical similarities, 39
 monochromatic plane wave, 39
 optical coherence, 39
 spatial sinusoid, 40
 spatiotemporal correlation function,
 41
 statistical optical field, 39
 temporal and spatial power spectra,
 40
 coherent illumination, 47
 coherent imaging, 122
 common-path methods, 135, 138
 DPM (Diffraction Phase
 Microscopy), 196–216
 FPM (Fourier Phase Microscopy),
 183–196

complex analytic signals, 323–326
 complex degree of spatial correlation, 43
 complex transmission function, 72
 computed tomography (CT) using DHM, 271–275. *See also* DHM (digital holographic microscopy)
 backprojection algorithm, 273
 Feld group, 274
 Fourier slice theorem, 272–273
 HeLa cell, 275
 holographic microscope, 273
 confocal microscopy, 106, 155, 201–202
 contrast:
 endogenous and exogenous, 1
 generating, 2
 increasing optically, 72–73
 and resolution, 1
 contrast-to-noise ratio (CNR), 59–60
 convolution operation, 329
 correlation theorem, inhomogeneous media, 26
 Coulter counter, 311
 cross-correlation function, measuring, 102–103
 cross-spectral density, 42
 CT (computed tomography) using DHM, 271–275. *See also* DHM (digital holographic microscopy)
 backprojection algorithm, 273
 Feld group, 274
 Fourier slice theorem, 272–273
 HeLa cell, 275
 holographic microscope, 273
 cubical particles, scattering by, 33–34
 cylindrical coordinates, 335
 cylindrical particles, scattering by, 34
 cylindrical symmetry, 336

D

dark field microscopy, 73
 deep-tissue imaging, problem of, 1–2
 dendrites:
 QPI image of, 4
 scattering map from, 4
 dendritic structure, QPI artwork, 346
 Depeursing group, 141–142
 DHM (digital holographic microscopy). *See also* CT using DHM; HPM (Hilbert phase microscopy)
 biological applications, 147–150
 CCDs (charged coupled devices), 141, 143–145
 cell growth, 149–150
 cell imaging, 148–149
 deconvolution, 144–145
 DHM (digital holographic microscopy) (*Cont.*):
 Depeursing group, 141–142
 developments, 146–147
 Fresnel propagation, 144–145
 Gabor's (in-line), 147
 hologram reconstruction, 145
 Indebetouw and Klysubun, 147
 label-free cell imaging, 147
 Nyquist theorem, 145
 overview, 141
 phase shifting, 146–147
 principle, 141–146
 sample arm, 143
 spatial filtering, 144
 spatiotemporal modulation, 147
 Wax group, 147
 DIC (Differential Interference Contrast), 3, 47–48, 188. *See also* microscopy
 dielectric susceptibility, 278
 differential cross-section, scattering by single particles, 28–29
 differential measurement, 135
 differential phase-contrast OCT, 106–107
 Diffraction-phase and Fluorescence Microscopy (DPF), 199–201
 Diffraction Phase Microscopy (DPM). *See* DPM (Diffraction Phase Microscopy)
 diffraction tomography (DT) and SLIM, 275–276
 diffusing-wave spectroscopy, 246
 digital hologram, 146
 reading, 88–89
 writing, 85–88
 digital holographic microscopy. *See* DHM (digital holographic microscopy)
 digital holography, 85
 digitally recorded interference microscopy. *See* DRIMAPS phase-shifting method
 Dirac delta function, 9
 discocyte, QPI artwork, 344
 dispersion effects, 95–98
 DLS (dynamic light scattering), 245–246, 260–265
 of cell membrane fluctuations, 260–262
 of cytoskeleton fluctuations, 262–265
 DMEM (Dulbecco's modified Eagle medium), 187–188
 Doppler velocity, 174
 DPC (diffraction-phase cytometry), 310, 312–313

- DPF (Diffraction-phase and Fluorescence Microscopy), 199–201
- DPM (Diffraction Phase Microscopy), 191, 196–216, 232
- biological applications, 202–206
 - Boltzmann constant, 206, 214–215
 - CCD acquisition rate, 198
 - CCD plane, 197
 - cDPM (confocal diffraction-phase microscopy), 201–202
 - developments, 199–202
 - DPF (Diffraction-phase and Fluorescence Microscopy), 199–201
 - experimental setup, 196–197
 - fluctuation-dissipation theorem, 208–209
 - FPT (Fresnel particle tracking), 202–206
 - FTLS (Fourier transform light scattering), 247
 - height-height correlation, 209
 - hemozoin, 213
 - Legendre polynomial, 209
 - Levine group, 208
 - Mach-Zender interferometer, 197
 - malaria-infected RBCs, 212–216
 - nanoscale QPI, 216
 - Pf*-RBCs, 213–215
 - principle, 196–199
 - quantitative QPI, 216
 - RBC mechanics, 206–212
 - RBC topography, 210
 - shear modulus results, 211–212
 - Stokes-Einstein equation, 206
 - study of live cells, 198–199
 - VPS (virtual source point), 197
- DRIMAPS phase-shifting method:
- applications, 171–174
 - cell displacements, 173
 - cell-margin fluctuations, 173
 - chick fibroblast cultures, 171–172
 - developments, 170–171
 - dry mass content, 171–172
 - Horn microscope, 170
 - Jamin-Lebedeff microscope, 170–171
 - Mach-Zender interferometer, 169
 - principle, 169–170
 - dry mass content, 171–172, 191–194
- DT (diffraction tomography) and SLIM, 275–276
- Dulbecco's modified Eagle medium (DMEM), 187–188
- dynamic light scattering (DLS), 245–246, 260–265
- of cell membrane fluctuations, 260–262
 - of cytoskeleton fluctuations, 262–265
-
- ## E
- E. coli* cells, growth of, 239–240
- echinocyte, QPI artwork, 344
- edge detection, 62
- ELS (elastic light scattering), 23, 245–246
- of cells, 258–260
 - of tissues, 254–258
- embryos, counting cells in, 176–177
- endogenous contrast, 1
- ensemble averages, 40
- entrance pupil, 69–70
- eosinophil marching by RBC, QPI artwork, 345
- Ewald scattering sphere, inhomogeneous media, 26–28
- exit pupil, 69–70
- exogenous contrast, 1
-
- ## F
- far-field imaging, limit for, 1
- FCS (fetal calf serum), 187–188
- FDTD (finite difference time domain), 255
- Feld group, 274
- fiber optic, time domain OCT, 99
- fibroblasts, QPI artwork, 347
- field statistical similarities, 39
- field superposition, describing, 326
- filtering, defined, 60
- FLIC (fluorescence interference contrast), 159
- fluctuation-dissipation theorem, 208–209
- fluorescence microscopy, 1, 198–199
- form function, using with particles, 36
- forward scattering particles, 32
- Fourier domain, 102–106
- polar representation, 332
 - swept source OCT, 102–106
- Fourier hologram, digital recording of, 88
- Fourier optics, 9–14
- Fourier Phase Microscopy (FPM). *See* FPM (Fourier Phase Microscopy)
- Fourier slice theorem, 272–273
- Fourier transforms, 45, 311. *See also* 3D Fourier transform
- 2D, 327–329
 - 3D, 335–336
 - of ball function, 31
 - differentiation theorem, 10
 - inhomogeneous media, 24
 - for plane waves, 9–10
 - properties, 16–18
 - spherical coordinates, 336–338
 - of spherical wave, 12

- Fourier transform infrared spectroscopy (FTIR), 245
- Fourier transform light scattering (FTLS). *See* FTLS (Fourier transform light scattering)
- FPM (Fourier Phase Microscopy), 183–196
- biological applications, 190–196
 - Boltzmann factor, 195–196
 - Brownian regime, 196
 - CCDs (charged coupled devices), 186–187
 - cell growth, 191–194
 - cell motility, 194–196
 - developments, 186–189
 - DIC (differential interference contrast), 188
 - DMEM (Dulbecco's modified Eagle medium), 187–188
 - DPM (Diffraction Phase Microscopy), 191
 - dry mass content, 191–194
 - experimental setup, 184
 - FCS (fetal calf serum), 187–188
 - f-FPM, 186–189
 - fluctuations in RBC membranes, 190–191
 - generalized thermodynamic theory, 194
 - Gibbs formalism, 194–195
 - HeLa cells, 187–189, 193
 - IP (image plane), 184
 - ITO (indium tin oxide), 186
 - lens L2, 186–187
 - light transmission, 186
 - MATLAB program, 193
 - optical interferometry, 191
 - PCF (phase-contrast filter), 186
 - phase accuracy, 185
 - phase image retrieval rate, 185
 - phase stability, 185
 - power-law function, 196
 - PPM, 184–185
 - principle, 184–186
 - SLD (superluminescent diode), 184
 - super-diffusion, 194
 - Tsallis formalism, 196
- FPT (Fresnel particle tracking), 202–206. *See also* particles
- Fraunhofer approximation, 24
- free space, 16–18
- Fresnel holograms, 80
- Fresnel propagation, 15, 144–145
- FTIR (Fourier transform infrared spectroscopy), 245
- FTLS (Fourier transform light scattering), 4
- angular scattering, 249–252
 - anisotropy factor, 255
- FTLS (Fourier transform light scattering) (*Cont.*):
- biological applications, 254–265
 - Brownian motion, 246
 - CCDs (charged coupled devices), 253
 - developments, 252–254
 - differentiating cell types, 259
 - diffusing-wave spectroscopy, 246
 - DLS (dynamic light scattering), 245–246
 - DPM (Diffraction Phase Microscopy), 247
 - dynamic light scattering, 260–265
 - ELS (elastic light scattering), 245–246
 - ELS of cells, 258–260
 - ELS of tissues, 254–258
 - experimental setup, 247
 - FDTD (finite difference time domain), 255
 - versus FTIR, 245
 - GK (Gegenbauer Kernel) phase function, 257
 - HG (Henyey-Greenstein) phase function, 257
 - Hilbert transform, 248
 - microrheology, 246
 - MSD (mean squared displacement), 263
 - near-field scattering, 246
 - PCA (principle component analysis), 259–260
 - phase-sensitive methods, 247
 - principle, 245–251
 - RBCs (red blood cells), 254
 - relevance, 245–247
 - and SLIM, 252–253
- full-field QPI. *See also* QPI (quantitative phase imaging)
- figures of merit, 127, 137–138
 - interferometric imaging, 121–122
 - off-axis inteferometry, 124–126
 - phase-shifting inteferometry, 122–124
 - phase unwrapping, 126–127
 - spatial phase modulation, 124–126
 - spatial sampling, 129–130
 - spatial uniformity, 135–137
 - temporal phase modulation, 122–124
 - temporal sampling, 128–129
 - temporal stability, 131–135
 - white light illumination, 138
- fundamental equation, 11

G

- Gabor's (in-line) holography, 79–81, 147
- Gaussian autocorrelation function, 51
- Gaussian statistics, 304
- Gegenbauer Kernel phase function, 302
- generalized thermodynamic theory, 194
- GFP (green fluorescent protein), 1, 199–200
- GFP technology, 199–200
- Gibbs formalism, 194–195
- GK (Gegenbauer Kernel) phase function, 257
- glial cell:
 - before and after Cyto-D treatment, 264
 - QPI artwork, 341
- green fluorescent protein (GFP), 1, 199–200
- Green's function, 9–11, 24
- GVD (group velocity dispersion), 96–98, 100

H

- H&E stained slices, 313–314
- Hankel transform, 332–335
 - Bessel functions, 333–334
 - central ordinate theorem, 334
 - circular symmetry, 333
 - convolution theorem, 334
 - Laplacian, 334
 - Parseval's theorem, 334
 - rotation theorem, 333
 - second moment, 335
 - shift theorem, 334
 - similarity theorem, 334
- Hb concentration, measuring, 283
- Hb refractive index, 280–281
- height-height correlation, 209
- HeLa cells, 157–158
 - CT using DHM, 275
 - FPM (Fourier Phase Microscopy), 187–189, 193
 - QPI artwork, 341
- Helmholtz equation, 9, 23
- hemoglobin concentration, 279–281, 313
- hemozoin, 213
- He-Ne laser in OQM, 175
- Henry-Greenstein distribution, 306
- Hermitian Fourier transform, 323
- HG (Henry-Greenstein) phase function, 257
- high-pass filtering, 62–64

- Hilbert phase microscopy (HPM). *See* HPM (Hilbert phase microscopy)
- Hilbert transform, 124–125, 248
- histopathology, 308–309
- hologram reconstruction, 145
- holograms, reading, 80–81
- holographic microscope, 273
- holography:
 - digital, 85–89
 - Gabor's (in-line), 79–81
 - Leith and Upatnieks's, 81–84
 - nonlinear (real time), 84–85
 - off-axis, 81–84
 - phase conjugation, 84–85
 - process of, 79
- Horn microscope, 169–170. *See also* microscopes
- HPM (Hilbert phase microscopy), 150–151. *See also* DHM (digital holographic microscopy)
 - biological applications, 155
 - cell refractometry, 156–157
 - confocal reflectance microscopy, 155
 - developments, 153
 - experimental setup, 152
 - HeLa cells, 157–158
 - principle, 151–153
 - PZT (piezo-electric transducer), 153–154
 - red blood cell membrane fluctuations, 157–161
 - red blood cell morphology, 155–156
 - s-HPM, 153–155
 - time evolutions, 151
 - tissue refractometry, 161–162
- Huygens' principle, 14

I

- image field, generating, 122
- image filtering, 60–61
 - band-pass, 62
 - high-pass, 62–64
 - low-pass, 61, 67–68
- imaging. *See also* QPI (quantitative phase imaging)
 - Abbe's theory of, 65–71
 - CNR (contrast-to-noise ratio), 59–60
 - entrance and exit pupils, 70
 - as linear operation, 55–56
 - overview, 55
 - of phase objects, 72–73
 - PSF (point spread function), 55–57
 - resolution, 56–57
 - SNR (signal-to-noise ratio), 57–59
 - TF (transfer function), 56
- impulse response, 69–70

- inhomogeneous media, 22–28
 bandwidth, 26
 Born approximation, 24–25
 correlation theorem, 26
 elastic light scattering, 23
 Ewald scattering sphere, 26–28
 far-zone approximation, 24
 Fourier transform, 24
 frequency range, 26
 Green's function, 24
 inverse scattering problem, 25
 light scattering, 23
 momentum transfer, 25–26
 retrieving scattering potential, 26
 scattering amplitude, 24
 scattering inverse problem, 23
 scattering potential, 23
 scattering wave vector, 25
 weakly scattering media, 23
- in-line holography, 79–81
- interference microscopy, 171
- interferogram, 43
- interferometric imaging, 121–122. *See also* off-axis interferometry; phase-shifting interferometry
- interferometric phase-dispersion microscopy, 107–110
- intracellular mass transport. *See also* cell dynamics
 advective, 293
 Brownian systems, 295–296
 diffusive, 293
 dispersion relationship, 294–295
 dynamic structure function, 294
 glial cell, 297
 live cells, 296–297
 overview, 292–293
 path-length fluctuation, 292–293
 phase image acquisition rate, 293
 principle, 293–295
 spatial convolution, 293
- intrinsic contrast imaging, 2
- intrinsic contrast microscopy, 47
- inverse Fourier transform, 324
- iSLIM (instantaneous SLIM), 281–284
 CCD plane, 283
 Mach-Zender interferometer, 282
 RGB camera, 283
 telepathology, 283
- isotropic Rayleigh-Gans particles, 32
- J**
- Jamin-Lebedeff microscope, 170–171.
See also microscopes
- K**
- kidney cell, phase image, 202
- Kramers-Kronig relationship, 278

- L**
- label-free methods, clinical applications, 309
- label-free optical sectioning, 239
- label-free tissue diagnosis, 313–317
- Lambert-Beer's law, 302
- Laplacian:
 Hankel transform, 334
 taking for image, 63
- LCI (low-coherence interferometry), 91–94
- Legendre polynomial, 209
- Leith and Upatnieks's holography, 81–84
- lens transmission function, 20
- lenses. *See also* thin lens
 capacity for Fourier transforms, 16–18
 sinusoidal transmission grating, 22
- Levine group, 208
- light, propagating in free space, 9–14
- light microscopy, 1–2. *See also* Abbe's theory of imaging; microscopy
 complex transmission function, 72
 dark field microscopy, 73
 frequency cut-off, 68
 imaging of phase objects, 72–73
 numerical aperture, 71
 Zernike's PCM (phase contrast microscopy), 74–78
 zero-contrast image, 72
- light scattering, 245–247
 experiments, 23–28
 generating data, 4
 from tissues, 301
- light-tissue interaction, modeling, 301
- low-coherence interferometry (LCI), 91–94
- low-pass filtering, 61, 67–68

- M**
- Mach-Zender interferometer, 43, 142, 169, 282
 DPM (Diffraction Phase Microscopy), 197
 OQM (optical quadrature microscopy), 175
 spectroscopic DPM, 280
- malaria-infected RBCs, imaging, 212–216, 343
- mammogram, 314
- matched filters:
 recording optically, 85–86
 writing digitally, 86
- MATLAB program, 125, 127, 193
- Maxwell's equations, 36
- MCD (minimum cylindrical diameter), 311

- MCHC (mean cellular hemoglobin concentration), 311
- MCV (mean corpuscular volumes), 311–312
- mean squared displacement (MSD), 263
- membrane fluctuations:
 “flickering,” 158, 288
 probing, 290
 RMS (root mean squared) displacement, 290–291
- Michelson interferometry, 46, 49, 91–92
- microrheology, 246
- microscopes. *See also* Horn microscope; Jamin-Lebedeff microscope
 bright field, 221–222
 commercial, 223
 computer-controlled, 247–248
 confocal, 155
 holographic, 273
 inverted, 151, 184, 196–197, 200, 203, 282
 Jamin-Lebedeff, 170–171
 phase contrast, 76
 stabilized Hilbert phase, 154
 transmission electron, 223
- microscopic images, properties of, 1
- microscopy, 169. *See also* DIC (Differential Interference Contrast); light microscopy; OCM (optical coherence microscopy); OQM (optical quadrature microscopy); PCM (phase-contrast microscopy)
 coherent illumination, 47
 confocal, 106, 155, 201–202
 dark field, 73
 interferometric phase-dispersion, 107–110
 intrinsic contrast, 47
 phenomena in, 16
 PSF (point spread function), 55
 quantities of interest, 55
 spatial coherence, 48
 spatial correlations of fields, 45–46
- Mie scattering, 36–37
- momentum transfer, inhomogeneous media, 25
- monochromatic light:
 cross-spectral density, 42–48
 smoothness, 46
 spatial correlations, 42–48
 spatial filtering, 48
 spatial power spectrum, 44–48
 spatial shift, 42–43
- monochromatic plane wave, 39
- MSD (mean squared displacement), 263
- N**
- nanoscale motions, studying in live cells, 291
- nanoscale QPI, 4–6, 216
- NEP (noise equivalent power), 133
- neuron:
 low-contrast image of, 73
 QPI image of, 3
- neuron acquired by SLIM, QPI artwork, 340, 342, 345
- neuron network, QPI artwork, 343
- neuron with nucleolus, QPI artwork, 346
- neuronal processes, QPI image of, 5
- noise equivalent power (NEP), 133
- Nomarski microscope, 47, 114, 194
- normalization constant, 133
- numerical aperture, 71
- Nyquist theorem, 128, 145
- O**
- OCM (optical coherence microscopy), 106. *See also* microscopy
- OCT (optical coherence tomography), 98–102
 contrast, 101–102
 depth-resolution, 99–101
 differential phase-contrast, 106–107
 swept source, 102–106
- off-axis full-field methods. *See* DHM (digital holographic microscopy); HPM (Hilbert phase microscopy)
- off-axis holography, 81–84
- off-axis interferometry, 124–126, 138.
See also interferometric imaging
- optical coherence, coherence volume, 39
- optical coherence tomography (OCT), 98–102
 contrast, 101–102
 depth-resolution, 99–101
 differential phase-contrast, 106–107
 swept source, 102–106
- optical fields:
 second-order statistics, 42
 statistical behavior, 41
- optical power spectrum, 50–51
- optical solutions, 1
- optical systems, circular symmetry, 332
- OQM (optical quadrature microscopy).
See also microscopy
 applications, 176–177
 CCDs (charged coupled devices), 176
 developments, 175–176
 He-Ne laser, 175
 Mach-Zender interferometer, 175

OQM (optical quadrature microscopy) (*Cont.*):
 optical layout, 175
 principle, 174–175
 PSM (phase subtraction method), 176–177
 quarter waveplate (QWP), 176
 organelle to organ scales, 306–308

P

Parseval's theorem, 305, 331
 particles. *See also* FPT (Fresnel particle tracking)
 ball function, 30–31
 under Born approximation, 30–34
 defined, 28
 forward scattering, 32
 scattering from ensembles of, 35–36
 side scattering, 32
 passive stabilization, 134
 patient blood, characterizing, 309
 PCA (principle component analysis), 259–260
 PCM (phase-contrast microscopy), 2, 46–47, 52, 74–78, 159. *See also* microscopy
 perpendicular theorem, 19
 perturbed spherical wave, scattering by single particles, 28
Pf-RBCs, 213–215
 phase change, detecting, 131
 phase conjugation holography, 84–85
 phase contrast filter, 75–76
 phase-contrast microscopy (PCM), 2, 46–47, 52, 74–78, 159
 phase images, time-series of, 132
 phase objects, imaging, 2, 72–73
 phase-referenced interferometry, 110–112
 phase shifting, 121, 146–147
 phase-shifting inteferometry, 122–124, 138. *See also* interferometric imaging
 phase-shifting methods:
 DRIMAPS, 169–174
 OQM (optical quadrature microscopy), 174–177
 phase stability, assessing, 131
 phase subtraction method (PSM), 176–177
 phase transformation, 16
 phase unwrapping, 126–127
 piezo-electric transducer (PZT), 153–154
 plane-wave incident on live cell, 289
 plane waves:
 amplitude of, 11
 coherence length, 51

plane waves (*Cont.*):
 coherence time, 50
 Gaussian autocorrelation function, 51
 Green's function, 9–11
 optical power spectrum, 50–51
 propagation of, 12
 quantitative phase image, 52
 spectral filtering, 51–52
 temporal correlations, 48–52
Plasmodium parasite, 212–213
 point-scanning methods:
 developments, 115–116
 dispersion effects, 95–98
 Fourier domain, 102–106
 LCI (low-coherence interferometry), 91–94
 OCT (optical coherence tomography), 98–102
 qualitative phase-sensitive, 106–110
 quantitative, 110–115
 swept source OCT, 102–106
 point spread function (PSF), role in imaging, 55–57
 pollen grain, CT using DHM, 272–275
 power spectrum density, 133–134
 principle component analysis (PCA), 259–260
 prostate biopsy with blood vessel, QPI artwork, 348
 prostate tissue slices, 314–315
 PSF (point spread function), role in imaging, 55–57
 PSM (phase subtraction method), 176–177
 pupils, entrance and exit, 69–70
 PZT (piezo-electric transducer), 153–154

Q

QPI (quantitative phase imaging), 2–3, 52, 216. *See also* full-field QPI; imaging
 versus 3D imaging, 5
 and multimodal investigation, 3–4
 of neuronal processes, 5
 spectral-domain, 112–115
 QPI approaches, summary, 137–138
 QPI artwork:
 blood smear, 349
 cell cycle, 349
 chromosomes, 347
 dendritic structure, 346
 discocyte, 344
 echinocyte, 344
 eosinophil marching by RBC, 345

QPI artwork (*Cont.*):
 fibroblasts, 347
 glial cell, 341
 HeLa cells, 341
 malaria-infected cell, 343
 neuron acquired by SLIM, 340, 342, 345
 neuron network, 343
 neuron with nucleolus, 346
 prostate biopsy with blood vessel, 348
 RBC squished by macrophate, 342
 RBCs (red blood cells), 339
 RBCs acquired by SLIM, 348
 RBCs and putative macrophage, 340
 spherocyte, 344
 QPI images:
 of dendrites, 4
 of neuron, 3
 as surface plots, 5
 QPM phase map generation, 225
 qualitative phase-sensitive methods, 106–110
 quantitative methods, 110–115
 quantitative phase imaging (QPI), 2–3, 52, 216. *See also* full-field QPI;
 imaging
 versus 3D imaging, 5
 and multimodal investigation, 3–4
 of neuronal processes, 5
 spectral-domain, 112–115
 quarter waveplate (QWP), 106, 176

R

radiative transport equation, 301
 rat erythrocyte morphology, 225
 Rayleigh criterion, applying to resolution, 70–72
 Rayleigh-Gans particles, 31–32
 RBC dynamics, studying, 159
 RBC membrane cortex, ATP concentration, 288–289
 RBC squished by macrophate, QPI artwork, 342
 RBC topography, 210
 RBCs (red blood cells):
 characterizing, 310
 hemoglobin concentration in, 279–281
 membrane fluctuations, 157–161
 morphology, 155–156
 path-length displacements, 261
 QPI artwork, 339
 RBCs acquired by SLIM, QPI artwork, 348
 RBCs and putative macrophage, QPI artwork, 340

RDW (red cell distribution width), 312
 real field:
 to complex analytic signal, 324
 denoting, 325
 irradiance calculation, 326
 real time holography, 84–85
 red blood cell membrane fluctuations, 157–161
 red blood cell morphology, 155–156
 red cell distribution width (RDW), 312
 reflection interference contrast microscopy (RICM), 159
 refractive index, 312–314
 resolution:
 and contrast, 1
 Rayleigh criterion, 70–72
 RICM (reflection interference contrast microscopy), 159

S

scattering:
 by cubical particles, 33–34
 by cylindrical particles, 34
 from ensembles of particles, 35–36
 Mie, 36–37
 process of, 22–23
 scattering amplitude, 28
 scattering by single particles, 28–30
 absorption cross section, 30
 backscattering cross section, 29
 differential cross-section, 28–29
 perturbed spherical wave, 28
 scattering amplitude, 28
 scattering cross-section, backscattering cross section, 29
 scattering inverse problem, solving, 23
 scattering mean free path, 303
 scattering-phase theorem, 305–306
 scattering potential, 23
 Schnitzcell software, 239
 Scientific Revolution, 1
 SDPM (spectral-domain phase microscopy), 113
 second-order statistics, 42
 shift theorem, digital holography, 87
 sHPM (stabilized HPM), 153–155
 sHPM images of discocyte, 160
 side scattering, particles, 32
 signal-to-noise ratio (SNR), 57–60
 SLIM (Spatial Light Interference Microscopy), 313–314
 AFM (atomic-force microscopy), 230–232
 biological applications, 236–240
 cell dynamics, 236–238
 cell growth, 238–240
 computational imaging, 235–236
 developments, 234–236

- SLIM (Spatial Light Interference Microscopy)(*Cont.*):
 DIC shadow artifact, 236
 DPM (Diffraction Phase Microscopy), 232
 and DT (diffraction tomography), 275–276
 and FTLS, 252–253
 Gabor's (in-line) holography, 229
 glial cell membrane fluctuations, 238
 grouped processing, 232
 growth of *E. coli* cells, 239–240
 label-free optical sectioning, 239
 Laplacian, 236
 LCPM refresh rate, 226–227, 232
 measuring cell growth, 238–239
 nanoscale accuracy, 232
 neuronal structure, 252
 phase accuracy of, 230–231
 principle, 226–233
 quantitative-phase image, 228
 refractive index information, 314
 schematic setup, 227
 Schnitzcell software, 239
 SLIT (spatial light interference tomography), 239
 spatial-phase sensitivity, 233
 tissue optics, 306
 topography of graphene, 233
 transverse resolution, 232
- SLIM-fluorescence multimodal capability, 234–235, 299
- SLIT (spatial light interference tomography), 239
- SNR (signal-to-noise ratio), 57–60
- spatial and temporal power spectrum, 137
- spatial correlations, 43
- spatial filtering, 47–48
 plane waves, 51–52
 via 4f system, 47
- Spatial Light Interference Microscopy (SLIM). *See* SLIM (Spatial Light Interference Microscopy)
- spatial phase modulation, 124–126
- spatial phase sensitivity, 135–137
- spatial power spectrum, 44–48
- spatial sampling, transverse resolution, 129–130
- spatial sinusoid, coherence volume, 40
- spatial uniformity, 135–137
- spatially averaged irradiance, 41
- spatiotemporal complex degree of correlation, 41
- spatiotemporal correlation function, 39–42
- spatiotemporal modulation, 147
- specimens, magnifying images of, 121
- spectral-domain phase microscopy (SDPM), 113
- spectral-domain QPI, 112–115
- spectral filtering, 51–52
- spectroscopic DPM, 279–281
 Hb refractive index, 280–281
 Mach-Zender interferometer, 280
- spectroscopic measurement, 51
- spectroscopic QPI, 277–284
 absorption spectroscopy, 277
 complex analytic signals, 278
 dielectric susceptibility, 278
 dispersion relationship, 277–278
 Kramers-Kronig relationship, 278
 tensor quality, 278
- spectroscopy methods, 309
- spherical coordinates:
 3D Fourier pairs, 337–338
 circular symmetry, 337
 spherical symmetry, 337
- spherical particles, 30–33, 36–37
- spherical symmetry, 337
- spherical waves:
 approximations of, 14–16
 complex analytic signal, 13
 Green's function, 11–14
 Huygens' principle, 14
 propagation of, 13
- spherocyte, QPI artwork, 344
- stability of QPI systems:
 active stabilization, 134–135
 common path inteferometry, 135
 differential measurement, 135
 improving, 134–135
 passive stabilization, 134
- stabilized Hilbert phase microscope, 154
- stabilized HPM (sHPM), 153–155
- stars, angle subtended by, 46
- statistical optical field, coherence volume, 39
- Stokes-Einstein equation, 206
- structure function, using with particles, 35–36
- superresolution optical imaging, 1
- swept source OCT, 102–106

T

- telecentric, defined, 65
- telepathology, 283
- temporal and spatial power spectra, 40
- temporal autocorrelation function, 48–50
- temporal correlations, 48–52
- temporal phase modulation, 122–124
- temporal-phase sensitivity, 131–135

- temporal sampling, acquisition rate, 128–129
- temporal stability, 131–135
- tensor quality, 278
- TF (transfer function), role in imaging, 56
- thin lens, focal distance of, 20. *See also* lenses
- tissue diagnosis:
 - H&E stained slices, 313–314
 - label-free, 313–317
 - SLIM (Spatial Light Interference Microscopy), 313–314
- tissue optics:
 - angular scattering, 301–302
 - background and motivation, 301
 - differentiation theorem, 305
 - error estimation, 307
 - Gaussian statistics, 304
 - Gegenbauer Kernel phase function, 302
 - Henyey-Greenstein distribution, 306
 - Lambert-Beer's law, 302
 - momentum transfer, 304
 - normal distribution of phase shifts, 303
 - organelle to organ scales, 301, 306–308
 - Parseval's theorem, 305
 - phase gradient distribution, 302
 - radiative transport equation, 301
 - scattering mean free path, 303
 - scattering-phase theorem, 301–306
 - SLIM (Spatial Light Interference Microscopy), 306
 - tissue-scattering properties, 306–308
 - tissue slices from rat organs, 307
- tissue refractometry, 161–162
- tomography, 5–6, 277
- tomography via QPI, 271–272
 - CT using DHM, 272–275
 - DT via SLIM, 275–276
- transfer function (TF), role in imaging, 56
- transmission imaging, DHM
 - schematic, 142
- transport of intensity equation, 221–225
 - biological applications, 224–226
 - developments, 223
 - Laplacian, 222–223
- transport of intensity equation, (Cont.):
 - principle, 222–223
 - QPM phase map generation, 225
 - quasi-monochromatic fields, 223
 - rat erythrocyte morphology, 225
 - X-rays before light, 223
- transverse magnification, 65
- trends in applications:
 - cell dynamics, 287–297
 - cell growth, 297–300
 - clinical, 308–317
 - tissue optics, 301–308
- trends in methods:
 - spectroscopic QPI, 277–284
 - tomography via QPI, 271–277
- Tsallis formalism, 196
-
- ## V
- Van Cittert-Zernike theorem, 46–47
- vidicon, use with digital holograms, 88
- visualization modalities, obtaining, 3
-
- ## W
- wave, propagation in free space, 9–14
- wave equation, plane wave solution of, 11
- wave propagation, Fresnel
 - approximation, 14–16
- Wax group, 147
- weakly scattering media, 23
- white light, spectrum of, 230
- white light illumination, 138
- white light methods:
 - SLIM (Spatial Light Interference Microscopy), 226–240
 - transport of intensity equation, 221–225
- white noise, 132
-
- ## Y
- YFP-PCNA cells, imaging, 299
- Young interferometer, 42
-
- ## Z
- Zernike's PCM (phase contrast microscopy), 2, 46–47, 52, 74–78, 159. *See also* microscopy
- zero-contrast image, 72

